

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shenzhen KOK Technology Co., Ltd.	Manufacturer:	Shenzhen KOK Technology Co., Ltd.
	5F, Bldg. C, Chuangfu Science&Technology Park, #202 Shiyan		5F, Bldg. C, Chuangfu Science&Technology Park, #202 Shiyan
Address:	Beihuan Rd., Shiyan Town, Bao'an District, SHENZHEN, Guangdong 518108	Address:	Beihuan Rd., Shiyan Town, Bao'an District, SHENZHEN, Guangdong 518108
Country:	China	Country:	China
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Zhejiang Ltd. Hangzhou Branch		
Control Number:	<u>5011837</u>	Authorized by:	 _____ for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Luminaires [UL 1598:2021 Ed.5+R:18Jun2021]
	Luminaires [CSA C22.2#250.0:2021 Ed.5+U1]
Product:	Recessed luminaires
Brand Name:	KOK

Models:

KOK-6BJ15 or KOK-4BJ10; followed by two numbers; followed by LR; followed by two characters.
KOK- followed by 3EJ, 4EJ, 6EJ, 8EJ or 12EJ; may be followed by CT; followed by 06, 09, 10, 12, 15, 18 or 24; may be followed by two numbers; followed by S or L; followed by R or S; may be followed by two characters; may be followed by -HV.
FPR4-6L-KFS, FPR6-10L-KFS, FPR3-4L-KFS, FPR8-14L-KFS, FPR12-20L-KFS, IMODCR4-8L-KFS, IMODCR6-12L-KFS.
6CMCT19HR, 6CMCT19LR, 6CMCT22LR, 8CMCT24HR, 8CMCT30LR, 8CMCT52LR, 10CMCT33HR, 10CMCT38LR, 8CMCT52HR or 10CMCT52HR; followed by 03 or 05.
CDR6-2L-LKFS-SW, CDR6-2L-LKFS-WHT, CDR8-5L-LKFS-WHT, CDR8-5L-LKFS-SW, CDR10-5L-LKFS-SW.
4BJCT10LR or 6BJCT15LR; may be followed by two characters.
4EJ may be followed by CT; followed by 09SR; may be followed by 03 or 05; followed by -N.
6EJ may be followed by CT; followed by 12SR; may be followed by 03 or 05; followed by -N.
5EJFM may be followed by CT; followed by 12SR; may be followed by 03 or 05.
7EJFM may be followed by CT; followed by 15SR; may be followed by 03 or 05.
4EJ or 6EJ; may be followed by CT; followed by 09SR, 12SR or 15SR; may be followed by 03 or 05; followed by -B; may be followed by -HV.
3EJ or 4EJ; may be followed by CT; followed by 06 or 09; followed by GR; may be followed by two characters. 3EJ or 4EJ; may be followed by CT; followed by 08 or 12; followed by WR; may be followed by two characters.
4EJ may be followed by CT; followed by 09; followed by GR; may be followed by two characters; followed by -E.
LDR4GIMBALCCT5.
4CM may be followed by CT; followed by 12; followed by LR; may be followed by two characters; may be followed by -B.
CDR4-1L-LKFS-WHT, CDR4-1L-LKFS-SW.
3EJ or 8EJ; may be followed by CT; followed by 06 or 18; followed by SR; may be followed by two characters; may be followed by -N. SPCM22MR, SPCM32MR, SPCM25DR, SPCM45DR or SPCM65DR; followed by 03 or 05.
2EJCT05 or 6EJCT12; followed by GR; may be followed by two characters.
4EJCT09GR followed by two characters; followed by -N.
3EJCT06GR, 4EJCT09GR or 6EJCT12GR; followed by two characters; followed by -FR.
4EJCT09SR, 4EJCT12SR, 6EJCT12SR or 6EJCT15SR followed by 03 or 05; followed by -FR.
4EJCT10TR or 6EJCT14TR; followed by two characters.
2EGCT09G or 3EGCT12G; followed by four characters.

4EJCTSR , 2EJCT05WR or 6EJCTSR; followed by two characters.

RD followed by up to three characters; followed by -2-08, -04-09, 04-12, 06-12 or -06-18; followed by -; followed by one character; followed by S; followed by one character; followed by C ; followed by one character; followed by -D; may be followed by one character; may be followed by -; may be followed by two characters; may be followed by -; may be followed by two characters.

CD followed by up to three characters; followed by 04-12, or -06-18; followed by -; followed by one character; followed by S; followed by one character; followed by C ; followed by one character; followed by -D; may be followed by one character; may be followed by -; may be followed by two characters; may be followed by -; may be followed by two characters.

IMODCRS2-543L-5CCT.

4EJCT followed by 09; followed by SR; may be followed by two characters; followed by -N.

6EJCT followed by 12; followed by SR; may be followed by two characters; followed by -N.

4EJCT followed by 09; followed by SR; may be followed by two characters; may be followed by -; may be followed by two characters. may be followed by -N.

6EJCT followed by 12; followed by SR; may be followed by two characters; may be followed by -; may be followed by two characters. may be followed by -N.

KOK-6EJCT15SR, KOK-3EJCT06SR, KOK-4EJCT09SR, KOK-4EJCT10SR, KOK-4EJCT12SR, KOK-6EJCT12SR, 4EJCT09SR, 6EJCT12SR, 6EJCTSR, 4EJCTSR, KOK-4EJCT09SS, KOK-6EJCT12SS, 4EJCT10TR, 6EJCT14TR; followed by two characters; may be followed by -; may be followed by two characters.

73501474, 73501476 , 73501475, 73501477, IMODCGR4-8L-5CCT, IMODCGR6-10L-5CCT

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shenzhen KOK Technology Co., Ltd.	Manufacturer:	NSPT CO., LTD
	5F, Bldg. C, Chuangfu Science&Technology Park, #202 Shiyan		
Address:	Beihuan Rd., Shiyan Town, Bao'an District, SHENZHEN, Guangdong 518108	Address:	108/25 Moo.5 Map Phai Subdistrict, Ban Bueng District, Chon Buri 20170
Country:	China	Country:	Thailand
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Zhejiang Ltd. Hangzhou Branch		
Control Number:	<u>5029309</u>	Authorized by:	 _____
			for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Luminaires [UL 1598:2021 Ed.5+R:18Jun2021]
	Luminaires [CSA C22.2#250.0:2021 Ed.5+U1]
Product:	Recessed luminaires
Brand Name:	KOK

Models:

KOK-6BJ15 or KOK-4BJ10; followed by two numbers; followed by LR; followed by two characters.
KOK- followed by 3EJ, 4EJ, 6EJ, 8EJ or 12EJ; may be followed by CT; followed by 06, 09, 10, 12, 15, 18 or 24; may be followed by two numbers; followed by S or L; followed by R or S; may be followed by two characters; may be followed by -HV.
FPR4-6L-KFS, FPR6-10L-KFS, FPR3-4L-KFS, FPR8-14L-KFS, FPR12-20L-KFS, IMODCR4-8L-KFS, IMODCR6-12L-KFS.
6CMCT19HR, 6CMCT19LR, 6CMCT22LR, 8CMCT24HR, 8CMCT30LR, 8CMCT52LR, 10CMCT33HR, 10CMCT38LR, 8CMCT52HR or 10CMCT52HR; followed by 03 or 05.
CDR6-2L-LKFS-SW, CDR6-2L-LKFS-WHT, CDR8-5L-LKFS-WHT, CDR8-5L-LKFS-SW, CDR10-5L-LKFS-SW.
4BJCT10LR or 6BJCT15LR; may be followed by two characters.
4EJ may be followed by CT; followed by 09SR; may be followed by 03 or 05; followed by -N.
6EJ may be followed by CT; followed by 12SR; may be followed by 03 or 05; followed by -N.
5EJFM may be followed by CT; followed by 12SR; may be followed by 03 or 05.
7EJFM may be followed by CT; followed by 15SR; may be followed by 03 or 05.
4EJ or 6EJ; may be followed by CT; followed by 09SR, 12SR or 15SR; may be followed by 03 or 05; followed by -B; may be followed by -HV.
3EJ or 4EJ; may be followed by CT; followed by 06 or 09; followed by GR; may be followed by two characters. 3EJ or 4EJ; may be followed by CT; followed by 08 or 12; followed by WR; may be followed by two characters.
4EJ may be followed by CT; followed by 09; followed by GR; may be followed by two characters; followed by -E.
LDR4GIMBALCCT5.
4CM may be followed by CT; followed by 12; followed by LR; may be followed by two characters; may be followed by -B.
CDR4-1L-LKFS-WHT, CDR4-1L-LKFS-SW.
3EJ or 8EJ; may be followed by CT; followed by 06 or 18; followed by SR; may be followed by two characters; may be followed by -N. SPCM22MR, SPCM32MR, SPCM25DR, SPCM45DR or SPCM65DR; followed by 03 or 05.
2EJCT05 or 6EJCT12; followed by GR; may be followed by two characters.
4EJCT09GR followed by two characters; followed by -N.
3EJCT06GR, 4EJCT09GR or 6EJCT12GR; followed by two characters; followed by -FR.
4EJCT09SR, 4EJCT12SR, 6EJCT12SR or 6EJCT15SR followed by 03 or 05; followed by -FR.
4EJCT10TR or 6EJCT14TR; followed by two characters.
2EGCT09G or 3EGCT12G; followed by four characters.

4EJCTSR , 2EJCT05WR or 6EJCTSR; followed by two characters.

RD followed by up to three characters; followed by -2-08, -04-09, 04-12, 06-12 or -06-18; followed by -; followed by one character; followed by S; followed by one character; followed by C ; followed by one character; followed by -D; may be followed by one character; may be followed by -; may be followed by two characters; may be followed by -; may be followed by two characters.

CD followed by up to three characters; followed by 04-12, or -06-18; followed by -; followed by one character; followed by S; followed by one character; followed by C ; followed by one character; followed by -D; may be followed by one character; may be followed by -; may be followed by two characters; may be followed by -; may be followed by two characters.

IMODCRS2-543L-5CCT.

4EJCT followed by 09; followed by SR; may be followed by two characters; followed by -N.

6EJCT followed by 12; followed by SR; may be followed by two characters; followed by -N.

4EJCT followed by 09; followed by SR; may be followed by two characters; may be followed by -; may be followed by two characters. may be followed by -N.

6EJCT followed by 12; followed by SR; may be followed by two characters; may be followed by -; may be followed by two characters. may be followed by -N.

KOK-6EJCT15SR, KOK-3EJCT06SR, KOK-4EJCT09SR, KOK-4EJCT10SR, KOK-4EJCT12SR, KOK-6EJCT12SR, 4EJCT09SR, 6EJCT12SR, 6EJCTSR, 4EJCTSR, KOK-4EJCT09SS, KOK-6EJCT12SS, 4EJCT10TR, 6EJCT14TR; followed by two characters; may be followed by -; may be followed by two characters.

73501474, 73501476 , 73501475, 73501477, IMODCGR4-8L-5CCT, IMODCGR6-10L-5CCT