

# Certificate of Compliance

**Certificate Number:**

UL-US-2449170-0

**Report Reference:**

E364473-20241213

**Issue Date:**

2024-12-24

Issued to:

**AOK LED Light Company Limited  
East Suite, 3/F, Building 1, St George's Science  
& Technology Industrial Park. (2/F, Plant 4, St George's Science  
& Technology Industrial Park). North Xinyu Rd, Xinqiao St.  
Shenzhen, Guangdong 518125  
China**

This certificate confirms that representative samples of:  
**IFAM - Light-emitting-diode Surface-mounted Luminaires**  
**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 1598, Edition 5, Issue Date 2021-03-26, Revision Date 2024-01-31**

Additional Information:  
See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch <sup>UL</sup>  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-US-2449170-0**  
**Report reference**        E364473-20241213  
**Date**                        2024-12-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<p>AOK-150WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180, 300                      Basic series name, PLB                      XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                      XX Can be any letter and digit to represent different brands and size of LED                      XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                      PH = Photocontrol provided                      XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index                      BN, which can be any letters for beam angles                      P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G</p>	<p>LED Surface Mounted Luminaire</p>
<p>AOK-150WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180, 300                      Basic series name, PLB                      XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                      XX Can be any letter and digit to represent different brands and size of LED                      XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                      PH = Photocontrol provided</p>	<p>LED Surface Mounted Luminaire</p>



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-US-2449170-0**  
**Report reference**        E364473-20241213  
**Date**                        2024-12-24

<p>XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index          BN, which can be any letters for beam angles          P, Represents Mounting bracket:              A - Mounting bracket A, or              B - Mounting bracket B, or              D - Mounting bracket D, or              E - Mounting bracket E, or              F - Mounting bracket F, or              G - Mounting bracket G</p>	
<p>AOK-180WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P          AOK=Manufacturer, AOK          XXX Represents wattage, where XXX can be 150, 180, 300          Basic series name, PLB          XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.          XX Can be any letter and digit to represent different brands and size of LED          XX, Represents Type of Sensor:              00 = No sensor provided,              PIR= PIR sensor,              MS= Motion Sensor,              DV= Dimmable or              PH = Photocontrol provided          XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index          BN, which can be any letters for beam angles          P, Represents Mounting bracket:              A - Mounting bracket A, or              B - Mounting bracket B, or              D - Mounting bracket D, or              E - Mounting bracket E, or              F - Mounting bracket F, or              G - Mounting bracket G</p>	<p>LED Surface Mounted Luminaire</p>
<p>AOK-180WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P          AOK=Manufacturer, AOK          XXX Represents wattage, where XXX can be 150, 180, 300          Basic series name, PLB          XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.          XX Can be any letter and digit to represent different brands and size of LED          XX, Represents Type of Sensor:</p>	<p>LED Surface Mounted Luminaire</p>



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-US-2449170-0**  
**Report reference**      E364473-20241213  
**Date**                      2024-12-24

<p>                     00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                      PH = Photocontrol provided                      XXXX, which can be any letters for Color Temperature of                      LED and Color Rendering Index                      BN, which can be any letters for beam angles                      P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G                 </p>	
<p>                     AOK-300WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-                      XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180,                      300                      Basic series name, PLB                      XX Represents input voltage: NV - 100-277 Vac. HV –                      200-480 Vac.                      XX Can be any letter and digit to represent different brands                      and size of LED                      XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                      PH = Photocontrol provided                      XXXX, which can be any letters for Color Temperature of                      LED and Color Rendering Index                      BN, which can be any letters for beam angles                      P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G                 </p>	<p>LED Surface Mounted Luminaire</p>
<p>                     AOK-300WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-                      XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180,                      300                      Basic series name, PLB                 </p>	<p>LED Surface Mounted Luminaire</p>



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** [UL-US-2449170-0]  
**Report reference** E364473-20241213  
**Date** 2024-12-24

<p>XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac. XX Can be any letter and digit to represent different brands and size of LED XX, Represents Type of Sensor: 00 = No sensor provided, PIR= PIR sensor, MS= Motion Sensor, DV= Dimmable or PH = Photocontrol provided XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index BN, which can be any letters for beam angles P, Represents Mounting bracket: A - Mounting bracket A, or B - Mounting bracket B, or D - Mounting bracket D, or E - Mounting bracket E, or F - Mounting bracket F, or G - Mounting bracket G</p>	
--	--



# Certificate of Compliance

**Certificate Number:**

UL-CA-2437155-0

**Report Reference:**

E364473-20241213

**Issue Date:**

2024-12-24

Issued to:

**AOK LED Light Company Limited  
East Suite, 3/F, Building 1, St George's Science  
& Technology Industrial Park. (2/F, Plant 4, St George's Science  
& Technology Industrial Park). North Xinyu Rd, Xinqiao St.  
Shenzhen, Guangdong 518125  
China**

This certificate confirms that representative samples of:  
**IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 No. 250.0:21, Edition 5, Issue Date 2021-03-26,  
Revision Date 2024-01-31**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch <sup>UL</sup>  
UL Mark Certification Program Owner



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-CA-2437155-0**  
**Report reference**        E364473-20241213  
**Date**                        2024-12-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
<p>AOK-150WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180, 300                      Basic series name, PLB                      XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                      XX Can be any letter and digit to represent different brands and size of LED                      XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                      PH = Photocontrol provided                      XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index                      BN, which can be any letters for beam angles                      P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G</p>	<p>LED Surface Mounted Luminaire</p>
<p>AOK-150WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                      AOK=Manufacturer, AOK                      XXX Represents wattage, where XXX can be 150, 180, 300                      Basic series name, PLB                      XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                      XX Can be any letter and digit to represent different brands and size of LED                      XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or</p>	<p>LED Surface Mounted Luminaire</p>



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-CA-2437155-0**  
**Report reference**        E364473-20241213  
**Date**                        2024-12-24

<p>PH = Photocontrol provided                  XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index                  BN, which can be any letters for beam angles                  P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G</p>	
<p>AOK-180WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                  AOK=Manufacturer, AOK                  XXX Represents wattage, where XXX can be 150, 180, 300                  Basic series name, PLB                  XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                  XX Can be any letter and digit to represent different brands and size of LED                  XX, Represents Type of Sensor:                      00 = No sensor provided,                      PIR= PIR sensor,                      MS= Motion Sensor,                      DV= Dimmable or                  PH = Photocontrol provided                  XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index                  BN, which can be any letters for beam angles                  P, Represents Mounting bracket:                      A - Mounting bracket A, or                      B - Mounting bracket B, or                      D - Mounting bracket D, or                      E - Mounting bracket E, or                      F - Mounting bracket F, or                      G - Mounting bracket G</p>	<p>LED Surface Mounted Luminaire</p>
<p>AOK-180WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-XX-XX-XX-XXXX-BN-P                  AOK=Manufacturer, AOK                  XXX Represents wattage, where XXX can be 150, 180, 300                  Basic series name, PLB                  XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac.                  XX Can be any letter and digit to represent different brands and size of LED</p>	<p>LED Surface Mounted Luminaire</p>



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    **UL-CA-2437155-0**  
**Report reference**        E364473-20241213  
**Date**                        2024-12-24

<p>XX, Represents Type of Sensor:          00 = No sensor provided,          PIR= PIR sensor,          MS= Motion Sensor,          DV= Dimmable or          PH = Photocontrol provided          XXXX, which can be any letters for Color Temperature of          LED and Color Rendering Index          BN, which can be any letters for beam angles          P, Represents Mounting bracket:          A - Mounting bracket A, or          B - Mounting bracket B, or          D - Mounting bracket D, or          E - Mounting bracket E, or          F - Mounting bracket F, or          G - Mounting bracket G</p>	
<p>AOK-300WPLB-HV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-          XX-XX-XX-XXXX-BN-P          AOK=Manufacturer, AOK          XXX Represents wattage, where XXX can be 150, 180,          300          Basic series name, PLB          XX Represents input voltage: NV - 100-277 Vac. HV –          200-480 Vac.          XX Can be any letter and digit to represent different brands          and size of LED          XX, Represents Type of Sensor:          00 = No sensor provided,          PIR= PIR sensor,          MS= Motion Sensor,          DV= Dimmable or          PH = Photocontrol provided          XXXX, which can be any letters for Color Temperature of          LED and Color Rendering Index          BN, which can be any letters for beam angles          P, Represents Mounting bracket:          A - Mounting bracket A, or          B - Mounting bracket B, or          D - Mounting bracket D, or          E - Mounting bracket E, or          F - Mounting bracket F, or          G - Mounting bracket G</p>	LED Surface Mounted Luminaire
<p>AOK-300WPLB-NV-XX-XX-XXXX-BN-P, AOK-XXXWPLB-          XX-XX-XX-XXXX-BN-P          AOK=Manufacturer, AOK          XXX Represents wattage, where XXX can be 150, 180,          300</p>	LED Surface Mounted Luminaire



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number** [UL-CA-2437155-0]  
**Report reference** E364473-20241213  
**Date** 2024-12-24

<p>Basic series name, PLB XX Represents input voltage: NV - 100-277 Vac. HV – 200-480 Vac. XX Can be any letter and digit to represent different brands and size of LED XX, Represents Type of Sensor: 00 = No sensor provided, PIR= PIR sensor, MS= Motion Sensor, DV= Dimmable or PH = Photocontrol provided XXXX, which can be any letters for Color Temperature of LED and Color Rendering Index BN, which can be any letters for beam angles P, Represents Mounting bracket: A - Mounting bracket A, or B - Mounting bracket B, or D - Mounting bracket D, or E - Mounting bracket E, or F - Mounting bracket F, or G - Mounting bracket G</p>	
---	--



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.