

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2011840-4
Report Reference E469506-20201231
Date 14-Feb-2023

Issued to: TAIZHOU JIAOGUANG LIGHTING CO LTD
1 WEI ER ROAD TAIZHOU TAIZHOU, ZHEJIANG 318000
China

This is to certify that representative samples of IFAO - Light-emitting-diode Recessed Luminaires
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2011840-4
Report Reference E469506-20201231
Date 14-Feb-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D703-N-CCT-XX-XX	LED recessed luminaire
D810-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D810-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D833-N-CCT-XX-XX	LED recessed luminaire
D844-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D844-XX-XX	LED recessed luminaire
D844-XX-XX, first "XX" represents CRI and can be 70, 80, or 90. Second "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray).	LED recessed luminaire
D846-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2011840-4
Report Reference E469506-20201231
Date 14-Feb-2023

<p>D846-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
D846-XX-10	LED recessed luminaire
<p>D848-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
<p>D848-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
D848-XX-10	LED recessed luminaire
D866-XX-10	LED recessed luminaire
D868-XX-10	LED recessed luminaire
D954-CCT-XX-XX	LED recessed luminaire
D956-CCT-XX-XX	LED recessed luminaire

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2009258-4
Report Reference E469506-20201231
Date 14-Feb-2023

Issued to: TAIZHOU JIAOGUANG LIGHTING CO LTD
1 WEI ER ROAD TAIZHOU TAIZHOU, ZHEJIANG 318000
China

This is to certify that representative samples of IFAO7 - Light-emitting-diode Recessed Luminaires Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2009258-4
Report Reference E469506-20201231
Date 14-Feb-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D703-N-CCT-XX-XX	LED recessed luminaire
D810-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D810-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D833-N-CCT-XX-XX	LED recessed luminaire
D844-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire
D844-XX-XX	LED recessed luminaire
D844-XX-XX, first "XX" represents CRI and can be 70, 80, or 90. Second "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray).	LED recessed luminaire
D846-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".	LED recessed luminaire

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2009258-4
Report Reference E469506-20201231
Date 14-Feb-2023

<p>D846-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
D846-XX-10	LED recessed luminaire
<p>D848-CCT-XX-XX-HP-XX-X, the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
<p>D848-CCT-XX-XX-XX-X, Note: the first "XX" represents CRI and can be 70, 80, or 90. The second "XX" presents dim or not, "DM" means dim, "NDM" means non-dim. The third "XX" presents Housing color and can be BR(Brown), WH(White), BL(Black), NI(Nickel), or GR(Gray). The first "X" presents figure and can be "S" or "B".</p>	LED recessed luminaire
D848-XX-10	LED recessed luminaire
D866-XX-10	LED recessed luminaire
D868-XX-10	LED recessed luminaire
D954-CCT-XX-XX	LED recessed luminaire
D956-CCT-XX-XX	LED recessed luminaire

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

