

CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-CA-2219417-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

Issued to: AOK LED Light Company Limited
East Suite (2/F, Plant 4, St George's Science and
Technology Industrial Park)
3/F, Building 1, St George's Science and Technology
Industrial Park
North Side of Xinyu Road, Xinqiao Street Shenzhen,
Guangdong 518125
China

**This is to certify that
representative samples of** IFAM7 - Light-emitting-diode Surface-mounted Luminaires
Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,
Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-CA-2219417-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-iSF , AOK-1200WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-CA-2219417-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	
AOK-iSF , AOK-400WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-600iSFW-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-600WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-600WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-600WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-600WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-800WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-800WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-800WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number ^LUL-CA-2219417-2^J
Report Reference ^LE364473-20220520^J
Date 22-Aug-2022

any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	
AOK-iSF , AOK-800WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-800WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-US-2219874-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

Issued to: AOK LED Light Company Limited
East Suite (2/F, Plant 4, St George's Science and
Technology Industrial Park)
3/F, Building 1, St George's Science and Technology
Industrial Park
North Side of Xinyu Road, Xinqiao Street Shenzhen,
Guangdong 518125
China

**This is to certify that
representative samples of** IFAM - Light-emitting-diode Surface-mounted Luminaires
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:
2021-06-18

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-US-2219874-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AOK-iSF , AOK-1200WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-1200WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	LED Surface Mounted Luminaire
AOK-iSF , AOK-400WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number L^LUL-US-2219874-2^J
Report Reference L^LE364473-20220520^J
Date 22-Aug-2022

be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	
<p>AOK-iSF, AOK-400WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-600iSFW-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-600WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-600WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-600WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-600WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-800WiSF-DC-G5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-800WiSF-DC-S35-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,</p>	LED Surface Mounted Luminaire
<p>AOK-iSF, AOK-800WiSF-DC-S5-XX-XXXX-BN-P, where the first can be 00 for without Photocontrol. XXXX can be</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number ^LUL-US-2219874-2^J
Report Reference ^LE364473-20220520^J
Date 22-Aug-2022

any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be A = A Bracket Mount, C = C Bracket Mount,	
AOK-iSF , AOK-800WiSF-HV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire
AOK-iSF , AOK-800WiSF-NV-XX-XX-XXXX-BN-P, where the first XX can be any letters for brand of LED. The second XX can be 00 for without Photocontrol. XXXX can be any letters for Color Temperature. BN can be any letters for beam angles. P, Represents mounting means, can be U= Yoke Bracket Mount	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

