

# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2158964-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

**Issued to:** TAIZHOU JIAOGUANG LIGHTING CO LTD  
1 Wei Er Rd Taizhou Economic Development Zone  
TAIZHOU, ZHEJIANG 318000  
China

**This is to certify that  
representative samples of**

IFAM - Light-emitting-diode Surface-mounted Luminaires  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:  
2021-06-18

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

*B. Mahrenholz*

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2158964-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

<b>Model</b>	<b>Category Description</b>
WP705D-100W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K). The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.	LED Surface Mounted Luminaire
WP705L-100W-CCT-XX-XXX, The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.	LED Surface Mounted Luminaire
WP705L-100W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K). The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.	LED Surface Mounted Luminaire
WP706D-120W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K). The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.	LED Surface Mounted Luminaire
WP706L-120W-CCT-XX-XXX, The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.	LED Surface Mounted Luminaire
WP706L-120W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-US-2158964-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

<p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	
<p>WP707D-150W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).</p> <p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP707L-150W-CCT-XX-XXX, The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP707L-150W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).</p> <p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2149932-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

**Issued to:** TAIZHOU JIAOGUANG LIGHTING CO LTD  
1 Wei Er Rd Taizhou Economic Development Zone  
TAIZHOU, ZHEJIANG 318000  
China

**This is to certify that representative samples of** IFAM7 - Light-emitting-diode Surface-mounted Luminaires  
Certified for Canada  
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,  
Revision Date: 2021-06-18

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2149932-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>WP705D-100W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).                      The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).                      The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP705L-100W-CCT-XX-XXX, The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP705L-100W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).                      The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).                      The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP706D-120W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).                      The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).                      The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP706L-120W-CCT-XX-XXX, The first'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray). The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP706L-120W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** UL-CA-2149932-1  
**Report Reference** E338467-20211228  
**Date** 9-Jun-2022

<p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	
<p>WP707D-150W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).</p> <p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP707L-150W-CCT-XX-XXX, The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire
<p>WP707L-150W-XXX-XX-XXX, The first 'XXX' represents color temperature, it could be 27K(2700K), 30K(3000K), 35K(3500K), 40K(4000K) or 50K(5000K).</p> <p>The first 'XX' represents Housing color, it could be BR(Brown), WH(White), BL(Black), NI(Nickel) or GR(Gray).</p> <p>The second 'XXX' represents Photocontrol type, it could be NPC or PCS, NPC = No Photocontrol, PCS = Photoelectric Switch.</p>	LED Surface Mounted Luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

